



**2** **WHEEL**  
**0** **HARDWARE**  
**and**  
**2** **DRAIN PLUG**  
**APPLICATION**  
**4** **GUIDE**

**NOTE:**

**The information provided in this application  
catalog is to be used as a reference.**

**Please refer to the vehicle owners' manual for verification.**

# Wheel Stud & Nut Section

---

# Wheel Hardware Reference Guide













	<b>WS-004</b> Thread: M14 - 1.50 Length: 59.77mm		<b>WS-318</b> Thread: M14 - 1.50 Length: 26mm
	<b>WS-109</b> Thread: 1/2" - 20 Length: 1-5/8"		<b>WS-320</b> Thread: M12 - 1.25 Length: 41.5mm
	<b>WS-138</b> Thread: 1/2" - 20 Length: 1-17/32"		<b>WS-327</b> Thread: M14 - 1.50 Length: 45.5mm
	<b>WS-159</b> Thread: 1/2" - 20 Length: 1-5/8"		<b>WS-340</b> Thread: M12 - 1.50 Length: 42mm
	<b>WS-219</b> Thread: 1/2" - 20 Length: 2"		<b>WS-360</b> Thread: M12 - 1.50 Length: 42mm
	<b>WS-244</b> Thread: M12 - 1.5 Length: 37mm		<b>WS-362</b> Thread: M12 - 1.50 Length: 34mm
	<b>WS-254</b> Thread: M12 - 1.5 Length: 41.55mm		<b>WS-364</b> Thread: 1/2"-20 Length: 1-15/32"
	<b>WS-266</b> Thread: M12 - 1.5 Length: 40mm		<b>WS-365</b> Thread: M12-1.50 Length: 51.5mm
	<b>WS-269</b> Thread: M12 - 1.5 Length: 36mm		<b>WS-368</b> Thread: 1/2"-20 Length: 1-31/32"
	<b>WS-275</b> Thread: M12 - 1.5 Length: 41.5mm		<b>WS-369</b> Thread: M12 - 1.5 Length: 46mm
	<b>WS-285</b> Thread: M12 - 1.5 Length: 41mm		<b>WS-378</b> Thread: M12 - 1.50 Length: 42mm
	<b>WS-312</b> Thread: M12 - 1.50 Length: 44.5mm		<b>WS-404</b> Thread: M12 - 1.50 Length: 46mm



# Wheel Hardware Reference Guide

	<b>WS-410</b> Thread: M12 - 1.25 Length: 46mm		<b>WN-005</b> Thread: M12 - 1.25 Chrome
	<b>WS-414</b> Thread: M12 - 1.50 Length: 45mm		<b>WN-007</b> Thread: M14 - 1.50 Chrome
	<b>WS-428</b> Thread: M14 - 1.50 Length: 65.4mm		<b>WN-008</b> Thread: M14 - 1.50 Chrome
	<b>WS-434</b> Thread: M14 - 1.50 Length: 57.93mm		<b>WN-011</b> Thread: M14 - 1.50 Chrome
	<b>WS-442</b> Thread: M14 - 2.0 Length: 57.93mm		<b>WN-16</b> Thread: 1/2"-20 Zinc
	<b>WS-462</b> Thread: M12 - 1.50 Length: 44.10mm		<b>WN-27</b> Thread: 1/2"-20 Zinc
	<b>WS-507</b> Thread: M12 - 1.50 Length: 44.8mm		<b>WN-52</b> Thread: 9/16"-18 Zinc
	<b>WS-542</b> Thread: M14 - 2.00 Length: 61.5mm		<b>WN-53</b> Thread: 9/16"-18 Zinc
	<b>WS-547</b> Thread: M12 - 1.50 Length: 47.2mm		<b>WN-62</b> Thread: M12-1.50 Zinc
	<b>WS-566</b> Thread: M12 - 1.25 Length: 43.5mm		<b>WN-63</b> Thread: M12-1.50 Zinc
	<b>WS-568</b> Thread: M12 - 1.50 Length: 42.5mm		<b>WN-64</b> Thread: M12-1.25 Chrome
			<b>WN-65</b> Thread: M12-1.25 Zinc

# Wheel Hardware Reference Guide

	<b>WN-66</b> Thread: M12-1.25 Zinc		<b>WN-110</b> Thread: M14 - 1.50 Zinc
	<b>WN-71</b> Thread: 1/2"-20 Chrome		<b>WN-114</b> Thread: M12 - 1.25 Chrome
	<b>WN-72</b> Thread: M12-1.50 Zinc		<b>WN-115</b> Thread: M14 - 1.50 Zinc
	<b>WN-74</b> Thread: M12-1.50 Chrome		<b>WN-117</b> Thread: M12 - 1.50 Chrome
	<b>WN-75</b> Thread: M12-1.50 Chrome		<b>WN-122</b> Thread: 1/2" - 20 Chrome
	<b>WN-76</b> Thread: M12 - 1.25 Chrome		<b>WN-133</b> Thread: M12-1.5 Chrome
	<b>WN-84</b> Thread: M12 - 1.50 Chrome		<b>WN-136</b> Thread: M12 - 1.50 Chrome
	<b>WN-93</b> Thread: 1/2"-20 Zinc	 	<b>WN-138</b> Thread: M12 - 1.50 Chrome
	<b>WN-94</b> Thread: 1/2"-20 Chrome		<b>WN-141</b> Thread: M12 - 1.50 Chrome
	<b>WN-99</b> Thread: M12 - 1.25 Chrome		<b>WN-144</b> Thread: M12 - 1.50 Chrome
	<b>WN-102</b> Thread: 1/2" - 20 Chrome Specialty		<b>WN-150</b> Thread: M12 - 1.50 Zinc
	<b>WN-109</b> Thread: M12 - 1.50 Zinc		<b>WN-162</b> Thread: 9/16" - 18 Zinc

# Wheel Hardware Reference Guide

	<b>WN-163</b> Thread: 1/2" - 20 Zinc		<b>WN-246</b> Thread: M14 - 1.50 Black Steel
	<b>WN-167</b> Thread: M12 - 1.50 Chrome		<b>WN-253</b> Thread: M12 - 1.50 Chrome
	<b>WN-172</b> Thread: M12 - 1.75 Black Steel		<b>WN-288</b> Thread: M14 - 2.0 Chrome
	<b>WN-181</b> Thread: M12 - 1.50 Chrome		<b>WN-294</b> Thread: M12 - 1.25 Chrome
	<b>WN-182</b> Thread: M12 - 1.5 Chrome		<b>WN-303</b> Thread: M12 - 1.50 Chrome
	<b>WN-196</b> Thread: M14 - 2.0 Black Steel		<b>WN-315</b> Thread: M12 - 1.50 Chrome
	<b>WN-201</b> Thread: M12 - 1.50 Chrome		<b>WN-317</b> Thread: M12 - 1.50 Chrome
	<b>WN-204</b> Thread: 9/16" - 18 Steel		<b>WN-327</b> Thread: M14 - 1.50 Chrome
	<b>WN-210</b> Thread: M12 - 1.25 Chrome		<b>WN-330</b> Thread: M14 - 1.50 Chrome
	<b>WN-211</b> Thread: M12 - 1.50 Chrome		<b>WN-331</b> Thread: M14 - 1.50 Chrome
	<b>WN-223</b> Thread: M14 - 2.0 Chrome		<b>WN-549</b> Thread: M12 - 1.50 Chrome
	<b>WN-236</b> Thread: M14 - 1.50 Chrome		<b>WN-964</b> Thread: M12 - 1.50 Carbon Steel

# **Oil Drain Plug & Gasket Section**
















---






## Oil Drain Plugs & Gaskets Reference Guide

	<b>DP-005</b> Size: 1/2" - 20 Standard Zinc		<b>DP-062</b> Size: Chrysler Rubber Plug Differential Plug
	<b>DP-019</b> Size: 3/8" - 18 Pipe Plug		<b>DP-075</b> Size: M14 - 1.50 Standard Zinc
	<b>DP-033</b> Size: M14 - 1.50 Standard Zinc		<b>DP-076</b> Size: M14 - 1.25 Pilot Point
	<b>DP-034</b> Size: M12 - 1.75 Pilot Point		<b>DP-079</b> Size: M12-1.75 Pilot Point w/Gasket
	<b>DP-038</b> Size: M12 - 1.25 Standard Zinc		<b>DP-086</b> Size: M12 - 1.25 Piggyback
	<b>DP-040</b> Size: M20 - 1.50 Standard Zinc		<b>DP-087</b> Size: M14 - 1.50 Piggyback
	<b>DP-049</b> Size: M12 - 1.25 Pilot Point		<b>DP-088</b> Size: M12 - 1.50 Standard Zinc
	<b>DP-052</b> Size: 1/2" - 20 Pilot Point		<b>DP-090</b> Size: Plastic
	<b>DP-053</b> Size: M14 - 1.50 Pilot Point		<b>DP-091</b> Size: M12 - 1.75 Magnetic
	<b>DP-054</b> Size: M16 - 1.50 Standard Zinc		<b>DP-092</b> Size: 1/2" - 14 Square Steel
	<b>DP-058</b> Size: 1/2" - 20 Pilot Point w/Gasket		<b>DP-098</b> Size: 14mm - 1.50 Pilot Point w/Gasket
	<b>DP-059</b> Size: M12 - 1.75 Pilot Point w/Gasket		<b>DP-115</b> Size: M14 - 1.50 Pilot Point

# Oil Drain Plugs & Gaskets Reference Guide

	<b>DP-131</b> Size: M14 - 1.50 Standard Zinc		<b>DP-182</b> Size: M14 - 1.50 Square Head w/Washer
	<b>DP-151</b> Size: M22 - 1.50 Square Head		<b>DP-206</b> Size: M10 - 1.5 Hex Head
	<b>DP-153</b> Size: M12 - 1.75 Pilot Point w/Gasket		<b>DP-211</b> Size: M14 - 1.50 Pilot Point insert Gasket
	<b>DP-156</b> Size: M12 - 1.75 Pilot Point insert Gasket		<b>DP-835</b> Size: - Plastic
	<b>DP-161</b> Size: M14 - 1.50 Pilot Point		<b>DP-839</b> Size: - Camlock w/O-Ring
	<b>DP-162</b> Size: M14 - 1.50 Square Head D		<b>DP-947</b> Size: M14 - 1.50 Allen Head
	<b>DP-164</b> Size: M14 - 1.50 Standard Zinc		<b>DP-948</b> Size: M12 - 1.75 Hex Head
	<b>DP-167</b> Size: M18 - 1.50 Standard Zinc		<b>G-010</b> Size: 14mm Crush
	<b>DP-169</b> Size: M14 - 1.50 Standard Zinc		<b>G-015</b> Size: 14mm Aluminum
	<b>DP-171</b> Size: M14 - 1.50 Pilot Point w/Floating Washer		<b>G-016</b> Size: 12mm Fiber
	<b>DP-172</b> Size: M14 - 1.50 Pilot Point Insert Gasket		<b>G-026</b> Size: 14mm - 1.75 Fiber
	<b>DP-177</b> Size: M14 - 1.25 Magnetic		<b>G-027</b> Size: 1/2" Fiber

# Oil Drain Plugs & Gaskets Reference Guide

 <p><b>G-134</b> Size: 12mm Copper</p>	 <p><b>G-156</b> Size: 12mm Rubber/Metal</p>
 <p><b>G-141</b> Size: 14mm Crush</p>	

